

- Page 1 of 13 -




FIGURE 1




FIGURE 2

- Page 2 of 13 -




FIGURE 3




FIGURE 4

- Page 3 of 13 -




FIGURE 5




FIGURE 6

- Page 4 of 13 -




FIGURE 7




FIGURE 8

- Page 5 of 13 -




FIGURE 9




FIGURE 10

- Page 6 of 13 -




FIGURE 11




FIGURE 12

- Page 7 of 13 -

Proposed lead specifications

- With beneficial elements at high levels (Specification I)

Ni	Sb	Co	Cr	Fe	Mn	Cu	Ag	Se	Te	As	Ge	Tl	Sn	Bi	Zn	Cd
2	2	2	4	5	1.5	5	66	0.5	0.15	4	10	12	40	500	500	500

- With beneficial elements at normal levels (Specification II)

Ni	Sb	Co	Cr	Fe	Mn	Cu	Ag	Se	Te	As	Ge	Tl	Sn	Bi	Zn	Cd
1	1	1	2	2.5	0.75	2.5	66	0.25	0.08	2	5	12	5-10	5-25	10-20	5-10

FIGURE 13

- Page 8 of 13 -




FIGURE 14

- Page 9 of 13 -




FIGURE 15

- Page 10 of 13 -




FIGURE 16




FIGURE 17

- Page 11 of 13 -




FIGURE 18

- Page 12 of 13 -




FIGURE 19

- Page 13 of 13 -




FIGURE 20